9.1.21 42 Englewood Ave Brighton MA 02135

Window Replacement project - Side and Rear Windows Only. Street facing windows to be replaced at a later date. Replacement project to include only the windows circled in red.

Window Vendor: Three Sons Window and Door - Waltham MA. (Anderson Certified Installer) Scheduled replacement window to match windows recently installed at 38 Englewood Ave.

Here is the property.



Here is the view(s) of the property from the street. Street facing - Front





Side 1 of the building facing 38 Englewood Ave.

















Rear of building.





















Side 2 of the building facing 46 Englewood Ave.









2:



















The Home Depot Special Order Quote

Customer Agreement #: H2688-198707 Printed Date: 6/23/2021

Customer: THREE SONS- WINDOW AND

DOOR

Address: 42 FELTON ST

WALTHAM, MA 02453

Phone 1: 781-899-6353

Phone 2: 791-953-4699

Email: ANNETTE@THREESONSWI

NDOW.COM

Store: 2688

Associate: STEPHEN

Address: 3 MYSTIC VIEW RD

EVERETT, MA 02149

Phone: 617-389-2323

Pre-Savings Total:

\$26,635.57

Total Savings:

(\$0.00)


Pre-Tax Price:

\$26,635.57

tacobelis

All prices are subject to change. Customer is responsible for verifying product selections. The Home Depot will not accept returns for the below products.





RO Size = 31 5/8" x 65" Unit Size = 31 1/4" x 64 3/4"

100-1 400 Series Double-Hung-Insert Equal Sash, AA, Rough Opening 31.625 x 65, 31.25 x 64.75, White w/White Sash / Frame:Pine White - Painted Panel:Pine White -Painted

> Insect Screen 1: 400 Series Double-Hung-Insert, TWI 31.25 x 64.75 0 Degrees - Flat Full Screen Aluminum

White Version:03/26/2021

\$885.30

\$885 A

Samo

\$1,770.6

Begin Line 100 Descriptions

---- Line 100-1 ----

400 Series Double-Hung-Insert Overall Rough Opening = 31 5/8" x 65" Overall Unit = 31 1/4" x 64 3/4" Installation Zip Code = 02149 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Sash Width = 31 1/4 Sash Height = 64 3/4 Unit Sill Angle = 0 Degrees - Flat Venting / Handing = AA Exterior Frame Color = White Exterior Sash / Panel Color = White Interior Frame Wood Species = Pine Interior Frame Finish Color = White - Painted Interior Sash / Panel Wood Species = Pine Interior Sash / Panel Finish Color = White -Painted Jamb Liner Color = White

Glass Construction Type = Dual Pane

Page 1 of 13

Glass Tint = No Tint Specialty Glass = None Gas Fill = Argon Glass / Grille Spacer Color = Stainless Unit 1 Lower Glass: None Unit 1 Upper Glass: Simulated Divided Light (SDL) Unit 1 Upper Glass: Specified Equal Light Unit 1 Upper Glass: Grille Pattern = Specified Equal Light Unit 1 Upper Glass: Simulated Check Rail = No Unit 1 Upper Glass: Grille Bar Width = 3/4" Unit 1 Upper Glass: Exterior Grille Color = White Unit 1 Upper Glass: Interior Grille Species = Pine Unit 1 Upper Glass: Interior Grille Color = White Unit 1 Upper Glass: 3W2H DP/PG Upgrade = No Sash Lift Type = None Lock Hardware Style = Traditional Number of Sash Locks = 1

Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Exterior Stop Cover = Yes Installation Material Options = No Re-Order Item = No Room Location = Unit U-Factor = 0.26 Unit Solar Heat Gain Coefficient (SHGC) = 0.28 Unit CPD Number = AND-N-132-01026-00002 U.S. ENERGY STAR Certified = Yes-Clear Opening Width = 27.452 Clear Opening Height = 27.329 Clear Opening Area = 5.21 SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS


Security Sensor Type = None

Vendor Number = 60509030

Customer Service = (888) 888-7020

---- Line 100-2 Description is the same as line 100-1 --
End Line 100 Descriptions





RO Size = 43 5/8" x 65" Unit Size = 43 1/4" x 64 3/4"

200-1 400 Series Double-Hung-Insert Equal Sash, AA, Rough
Opening 43.625 x 65, 43.25 x 64.75, White w/White
Sash / Frame:Pine White - Painted Panel:Pine White Painted
200-2 Insect Screen 1: 400 Series Double-Hung-Insert. TWI

Insect Screen 1: 400 Series Double-Hung-Insert, TWI 43.25 x 64.75 0 Degrees - Flat Full Screen Aluminum White Version:03/26/2021

Unit 200 Tota

1.020.72 \$1.020.7

\$0.00

\$6,114,32

Begin Line 200 Descriptions

---- Line 200-1 ----

400 Series Double-Hung-Insert Overall Rough Opening = 43.5/8" x 65" Overall Unit = 43.1/4" x 64.3/4" Installation Zip Code = 02149 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Sash Width = 43 1/4 Sash Height = 64 3/4 Unit Sill Angle = 0 Degrees - Flat Venting / Handing = AA Exterior Frame Color = White Exterior Sash / Panel Color = White Interior Frame Wood Species = Pine Interior Frame Finish Color = White - Painted Interior Sash / Panel Wood Species = Pine Interior Sash / Panel Finish Color = White -Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 HeatLock

High Altitude Breather Tubes = No

Glass Strength = Standard

Glass Tint = No Tint Specialty Glass = None Gas Fill = Argon Glass / Grille Spacer Color = Stainless Unit 1 Lower Glass: None Unit 1 Upper Glass: Simulated Divided Light (SDL) Unit 1 Upper Glass: Specified Equal Light Unit 1 Upper Glass: Grille Pattern = Specified Equal Light Unit 1 Upper Glass: Simulated Check Rail = No Unit 1 Upper Glass: Grille Bar Width = 3/4" Unit 1 Upper Glass: Exterior Grille Color = White Unit 1 Upper Glass: Interior Grille Species = Pine Unit 1 Upper Glass: Interior Grille Color = White Unit 1 Upper Glass: 4W2H DP/PG Upgrade = No Sash Lift Type = None Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No --- Line 200-2 Description is the same as line 200-1 ---

Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Exterior Stop Cover = Yes Installation Material Options = No Re-Order Item = No Room Location = Unit U-Factor = 0.26 Unit Solar Heat Gain Coefficient (SHGC) = 0.28 Unit CPD Number = AND-N-132-01026-00002 U.S. ENERGY STAR Certified = Yes Clear Opening Width = 39.452 Clear Opening Height = 27.329 Clear Opening Area = 7.4874 SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 03/26/2021

End Line 200 Descriptions





RO Size = 23 5/8" x 53" Unit Size = 23 1/4" x 52 3/4"

300-1 400 Series Double-Hung-Insert Equal Sash, AA, Rough
Opening 23.625 x 53, 23.25 x 52.75, White w/White
Sash / Frame:Pine White - Painted

300-2 Insert Screen 1: 400 Series Double-Hung-Insert, TWI
23.25 x 52.75 0 Degrees - Flat Full Screen Aluminum
White Version:03/26/2021

Begin Line 300 Descriptions

--- Line 300-1 ----

400 Series Double-Hung-Insert Overall Rough Opening = 23 5/8" x 53" Overall Unit = 23 1/4" x 52 3/4" Installation Zip Code = 02149 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Sash Width = 23 1/4 Sash Height = 52 3/4 Unit Sill Angle = 0 Degrees - Flat Venting / Handing = AA Exterior Frame Color = White Exterior Sash / Panel Color = White Interior Frame Wood Species = Pine Interior Frame Finish Color = White - Painted Interior Sash / Panel Wood Species = Pine Interior Sash / Panel Finish Color = White -Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 HeatLock High Altitude Breather Tubes = No

Glass Tint = No Tint Specialty Glass = None Gas Fill = Argon Glass / Grille Spacer Color = Stainless Unit 1 Lower Glass: None Unit 1 Upper Glass: Simulated Divided Light (SDL) Unit 1 Upper Glass: Specified Equal Light Unit 1 Upper Glass: Grille Pattern = Specified Equal Light Unit 1 Upper Glass: Simulated Check Rail = No Unit 1 Upper Glass: Grille Bar Width = 3/4" Unit 1 Upper Glass: Exterior Grille Color = White Unit 1 Upper Glass: Interior Grille Species = Pine Unit 1 Upper Glass: Interior Grille Color = White Unit 1 Upper Glass: 2W2H DP/PG Upgrade = No Sash Lift Type = None Lock Hardware Style = Traditional

Lock Hardware Style = Traditional

Number of Sash Locks = 1

Lock Hardware Color/Finish = White (Factory

Applied)

Window Opening Control Device = No

Line 300-2 Description is the same as line 300-1

Security Sensor Type = None
Insect Screen Type = Full Screen
Insect Screen Material = Aluminum
Insect Screen Color = White
Exterior Stop Cover = Yes
Installation Material Options = No
Re-Order Item = No
Room Location =
Unit U-Factor = 0.26
Unit Solar Heat Gain Coefficient (SHGC) = 0.28
Unit CPD Number = AND-N-132-01026-00002
U.S. ENERGY STAR Certified = Yes
Clear Opening Width = 19.452

Clear Opening Area = 2.8812 SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 03/26/2021

Clear Opening Height = 21.329

- End Line 300 Descriptions ~



Glass Strength = Standard



RO Size = 43 5/8" x 49" Unit Size = 43 1/4" x 48 3/4"

Use Number Item Summary

Was Price

low-Price Quanti

Total Savings

Total Price

400-1 400 Series Double-Hung-Insert Equal Sash, AA, Rough Opening 43.625 x 49, 43.25 x 48.75, White w/White Sash / Frame:Pine White - Painted Panel:Pine White -

Insect Screen 1: 400 Series Double-Hung-Insert, TWI 400-2 43.25 x 48.75 O Degrees - Flat Full Screen Aluminum White Version:03/26/2021

Begin Line 400 Descriptions

---- Line 400-1 ----

400 Series Double-Hung-Insert Overall Rough Opening = 43 5/8" x 49" Overall Unit = 43 1/4" x 48 3/4" Installation Zip Code = 02149 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Sash Width = 43 1/4 Sash Height = 48 3/4 Unit Sill Angle = 0 Degrees - Flat Venting / Handing = AA Exterior Frame Color = White Exterior Sash / Panel Color = White Interior Frame Wood Species = Pine Interior Frame Finish Color = White - Painted Interior Sash / Panel Wood Species = Pine Interior Sash / Panel Finish Color = White -Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 HeatLock High Altitude Breather Tubes = No

Glass Tint = No Tint Specialty Glass = None Gas Fill = Argon Glass / Grille Spacer Color = Stainless Unit 1 Lower Glass: None Unit 1 Upper Glass: Simulated Divided Light (SDL) Unit 1 Upper Glass: Specified Equal Light Unit 1 Upper Glass: Grille Pattern = Specified Equal Light Unit 1 Upper Glass: Simulated Check Rail = No Unit 1 Upper Glass: Grille Bar Width = 3/4" Unit 1 Upper Glass: Exterior Grille Color = White Unit 1 Upper Glass: Interior Grille Species = Pine Unit 1 Upper Glass: Interior Grille Color = White Unit 1 Upper Glass: 4W2H DP/PG Upgrade = No Sash Lift Type = None Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory

Unit Solar Heat Gain Coefficient (SHGC) = 0.28 Unit CPD Number = AND-N-132-01026-00002 U.S. ENERGY STAR Certified = Yes Clear Opening Width = 39.452 Clear Opening Height = 19.329 Clear Opening Area = 5.2956 SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 03/26/2021

Security Sensor Type = None

Insect Screen Color = White

Exterior Stop Cover = Yes

Re-Order Item = No

Room Location = Unit U-Factor = 0.26

Insect Screen Type = Full Screen

Insect Screen Material = Aluminum

Installation Material Options = No

--- Line 400-2 Description is the same as line 400-1 ----

Window Opening Control Device = No

Applied)

End Line 400 Descriptions



Glass Strength = Standard



RO Size = 43 5/8" x 61" Unit Size = 43 1/4" x 60 3/4"

400 Series Double-Hung-Insert Equal Sash, AA, Rough 500-1 Opening 43.625 x 61, 43.25 x 60.75, White w/White Sash / Frame:Pine White - Painted Panel:Pine White -Painted Insect Screen 1: 400 Series Double-Hung-Insert, TWI 500-2

43.25 x 60.75 0 Degrees - Flat Full Screen Aluminum White Version:03/26/2021

Begin Line 500 Descriptions

-- Line 500-1 ----

400 Series Double-Hung-Insert Overall Rough Opening = 43 5/8" x 61" Overall Unit = 43 1/4" x 60 3/4" Installation Zip Code = 02149

Glass Tint = No Tint Specialty Glass = None Gas Fill - Argon Glass / Grille Spacer Color = Stainless Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White

Page 4 of 13

U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Sash Width = 43 1/4 Sash Height = 60 3/4 Unit Sill Angle = 0 Degrees - Flat Venting / Handing = AA Exterior Frame Color = White Exterior Sash / Panel Color = White Interior Frame Wood Species = Pine Interior Frame Finish Color = White - Painted Interior Sash / Panel Wood Species = Pine Interior Sash / Panel Finish Color = White -Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4-HeatLock High Altitude Breather Tubes = No

Unit 1 Lower Glass: None Unit 1 Upper Glass: Simulated Divided Light (SDL) Unit 1 Upper Glass: Specified Equal Light Unit 1 Upper Glass: Grille Pattern = Specified **Equal Light** Unit 1 Upper Glass: Simulated Check Rail = No. Unit 1 Upper Glass: Grille Bar Width = 3/4" Unit 1 Upper Glass: Exterior Grille Color = White Unit 1 Upper Glass: Interior Grille Species = Pine Unit 1 Upper Glass: Interior Grille Color = White Unit 1 Upper Glass: 4W2H DP/PG Upgrade = No Sash Lift Type = None Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied)

Exterior Stop Cover = Yes Installation Material Options = No Re-Order Item = No Room Location = Unit U-Factor = 0.26 Unit Solar Heat Gain Coefficient (SHGC) = 0.28 Unit CPD Number = AND-N-132-01026-00002 U.S. ENERGY STAR Certified = Yes Clear Opening Width = 39.452 Clear Opening Height = 25.329 Clear Opening Area = 6.9394 SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 03/26/2021


End Line 500 Descriptions

--- Line 500-2 Description is the same as line 500-1 ----

Window Opening Control Device = No



Glass Strength = Standard



RO Size = 33 5/8" x 49" Unit Size = 33 1/4" x 48 3/4"

Catalog Version 180

400 Series Double-Hung-Insert Equal Sash, AA, Rough Opening 33.625 x 49, 33.25 x 48.75, White w/White Sash / Frame:Pine White - Painted Panel:Pine White -Painted

600-2

600-1

Insect Screen 1: 400 Series Double-Hung-Insert, TWI 33.25 x 48.75 0 Degrees - Flat Full Screen Aluminum White Version:03/26/2021

Begin Line 600 Descriptions

--- Line 600-1 ----

400 Series Double-Hung-Insert Overall Rough Opening = 33.5/8" x 49" Overall Unit = 33 1/4" x 48 3/4" Installation Zip Code = 02149 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Sash Width = 33 1/4 Sash Height = 48 3/4 Unit Sill Angle = 0 Degrees - Flat Venting / Handing = AA Exterior Frame Color = White Exterior Sash / Panel Color = White Interior Frame Wood Species = Pine Interior Frame Finish Color = White - Painted Interior Sash / Panel Wood Species = Pine Interior Sash / Panel Finish Color = White -Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 HeatLock High Altitude Breather Tubes = No

Glass Tint = No Tint Specialty Glass = None Gas Fill = Argon Glass / Grille Spacer Color = Stainless Unit 1 Lower Glass: None Unit 1 Upper Glass: Simulated Divided Light (SDL) Unit 1 Upper Glass: Specified Equal Light Unit 1 Upper Glass: Grille Pattern = Specified Equal Light Unit 1 Upper Glass: Simulated Check Rail = No Unit 1 Upper Glass: Grille Bar Width = 3/4" Unit 1 Upper Glass: Exterior Grille Color = White Unit 1 Upper Glass: Interior Grille Species = Pine Unit 1 Upper Glass: Interior Grille Color = White Unit 1 Upper Glass: 3W2H DP/PG Upgrade = No Sash Lift Type = None Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied)

Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Exterior Stop Cover = Yes Installation Material Options = No Re-Order Item = No Room Location = Unit U-Factor = 0.26 Unit Solar Heat Gain Coefficient (SHGC) = 0.28 Unit CPD Number = AND-N-132-01026-00002 U.S. ENERGY STAR Certified = Yes Clear Opening Width = 29.452 Clear Opening Height = 19.329 Clear Opening Area = 3.9533 SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 03/26/2021

Page 5 of 13

End Line 600 Descriptions





RO Size = 36 3/8" x 61" Unit Size = 36" x 60 3/4"

700-1

400 Series Double-Hung-Insert Equal Sash, AA, 36 x 60.75, White w/White Sash / Frame:Pine White - Painted

Panel:Pine White - Painted

700-2

Insect Screen 1: 400 Series Double-Hung-Insert, TWI 36 x $60.75\ 0$ Degrees - Flat Full Screen Aluminum White Version:03/26/2021

\$976.80

0.00

51652.11

Begin Line 700 Descriptions

--- Line 700-1 ----

Glass Tint = No Tint

400 Series Double-Hung-Insert Overall Rough Opening = 36 3/8" x 61" Overall Unit = 36" x 60 3/4" Installation Zip Code = 02149 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Sash Width = 36 Sash Height = 60 3/4 Unit Sill Angle = 0 Degrees - Flat Venting / Handing = AA Exterior Frame Color = White Exterior Sash / Panel Color = White Interior Frame Wood Species = Pine Interior Frame Finish Color = White - Painted Interior Sash / Panel Wood Species = Pine Interior Sash / Panel Finish Color = White -Painted lamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 Heatl ock High Altitude Breather Tubes = No

Specialty Glass = None
Gas Fill = Argon
Glass / Grille Spacer Color = Stainless
Unit 1 Lower Glass: None
Unit 1 Upper Glass: Simulated Divided Light (SDL)
Unit 1 Upper Glass: Specified Equal Light
Unit 1 Upper Glass: Grille Pattern = Specified
Equal Light
Unit 1 Upper Glass: Simulated Check Rail = No
Unit 1 Upper Glass: Grille Bar Width = 3/4"
Unit 1 Upper Glass: Exterior Grille Color = White
Unit 1 Upper Glass: Interior Grille Species = Pine
Unit 1 Upper Glass: Interior Grille Color = White
Unit 1 Upper Glass: Sw2H

DP/PG Upgrade = No
Sash Lift Type = None
Lock Hardware Style = Traditional
Number of Sash Locks = 1
Lock Hardware Color/Finish = White (Factory
Applied)
Window Opening Control Device = No

Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Exterior Stop Cover = Yes Installation Material Options = No Re-Order Item = No Room Location = Unit U-Factor = 0.26 Unit Solar Heat Gain Coefficient (SHGC) = 0.28 Unit CPD Number = AND-N-132-01026-00002 U.S. ENERGY STAR Certified = Yes Clear Opening Width = 32.202 Clear Opening Height = 25.329 Clear Opening Area = 5.6642 SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS

Vendor Number = 60509030

Customer Service = (888) 888-7020

Catalog Version Date = 03/26/2021

---- Line 700-2 Description is the same as line 700-1 ----

End Line 700 Descriptions



Glass Strength = Standard



RO Size = 41 1/8" x 55 3/4" Unit Size = 40 3/4" x 55 1/2"

Page 6 of 13

800-1	400 Series Double-Hung-Insert Equal Sash, AA, Rough Opening 41.125 x 55.75, 40.75 x 55.5, White w/White Sash / Frame:Pine White - Painted Panel:Pine White - Painted	\\		to the terminal	
800-2	Insect Screen 1: 400 Series Double-Hung-Insert, TWI 40.75 x 55.5 0 Degrees - Flat Full Screen Aluminum White Version:03/26/2021	X.			

Begin Line 800 Descriptions

--- Line 800-1 ----

400 Series Double-Hung-Insert Overall Rough Opening = 41 1/8" x 55 3/4" Overall Unit = 40 3/4" x 55 1/2" Installation Zip Code = 02149 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Sash Width = 40 3/4 Sash Height = 55 1/2 Unit Sill Angle = 0 Degrees - Flat Venting / Handing = AA Exterior Frame Color = White Exterior Sash / Panel Color = White Interior Frame Wood Species = Pine Interior Frame Finish Color = White - Painted Interior Sash / Panel Wood Species = Pine Interior Sash / Panel Finish Color = White -Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 HeatLock High Altitude Breather Tubes = No Glass Strength = Standard

Glass Tint = No Tint Specialty Glass = None Gas Fill = Argon Glass / Grille Spacer Color = Stainless Unit 1 Lower Glass: None Unit 1 Upper Glass: Simulated Divided Light (SDL) Unit 1 Upper Glass: Specified Equal Light
Unit 1 Upper Glass: Grille Pattern = Specified **Equal Light** Unit 1 Upper Glass: Simulated Check Rail = No Unit 1 Upper Glass: Grille Bar Width = 3/4" Unit 1 Upper Glass: Exterior Grille Color = White Unit 1 Upper Glass: Interior Grille Species = Pine Unit 1 Upper Glass: Interior Grille Color = White Unit 1 Upper Glass: 3W2H DP/PG Upgrade = No Sash Lift Type = None Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No ---- Line 800-2 Description is the same as line 800-1 ----

Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Exterior Stop Cover = Yes Installation Material Options = No Re-Order Item = No Room Location = Unit U-Factor = 0.26 Unit Solar Heat Gain Coefficient (SHGC) = 0.28 Unit CPD Number = AND-N-132-01026-00002 U.S. ENERGY STAR Certified = Yes Clear Opening Width = 36.952 Clear Opening Height = 23.494 Clear Opening Area = 6.0288 SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 03/26/2021

End Line 800 Descriptions





RO Size = 36 1/8" x 41" Unit Size = 35 3/4" x 40 3/4"

900-1 400 Series Double-Hung-Insert Equal Sash, AA, Rough Opening 36.125 x 41, 35.75 x 40.75, White w/White Sash / Frame:Pine White - Painted Panel:Pine White Painted

900-2 Insect Screen 1: 400 Series Double-Hung-Insert, TWI 35.75 x 40.75 0 Degrees - Flat Full Screen Aluminum White Version:03/26/2021

Unit 900 Tatal

5795.79 578

to no 1 527

Begin Line 900 Descriptions

---- Line 900-1 ----

400 Series Double-Hung-Insert Overall Rough Opening = 36 1/8" x 41" Overall Unit = 35 3/4" x 40 3/4" Glass Tint = No Tint Specialty Glass = None Gas Fill = Argon Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Alominum

Page 7 of 13

Installation Zip Code = 02149 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Sash Width = 35 3/4 Sash Height = 40 3/4 Unit Sill Angle = 0 Degrees - Flat Venting / Handing = AA Exterior Frame Color = White Exterior Sash / Panel Color = White Interior Frame Wood Species = Pine Interior Frame Finish Color = White- Painted Interior Sash / Panel Wood Species = Pine Interior Sash / Panel Finish Color = White -Painted Jamb Liner Color = White Glass Construction Type = Dual Pane

Glass / Grille Spacer Color = Stainless Unit 1 Lower Glass: None Unit 1 Upper Glass: Simulated Divided Light (SDL) Unit 1 Upper Glass: Specified Equal Light Unit 1 Upper Glass: Grille Pattern = Specified **Equal Light** Unit 1 Upper Glass: Simulated Check Rail = No Unit 1 Upper Glass: Grille Bar Width = 3/4" Unit 1 Upper Glass: Exterior Grille Color = White Unit 1 Upper Glass: Interior Grille Species = Pine Unit 1 Upper Glass: Interior Grille Color = White Unit 1 Upper Glass: 3W2H DP/PG Upgrade = No Sash Lift Type = None Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory

Exterior Stop Cover = Yes Installation Material Options = No Re-Order Item = No Room Location = Unit U-Factor = 0.26 Unit Solar Heat Gain Coefficient (SHGC) = 0.28 Unit CPD Number = AND-N-132-01026-00002 U.S. ENERGY STAR Certified = Yes Clear Opening Width = 31.952 Clear Opening Height = 15.329 Clear Opening Area = 3.4013 SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 03/26/2021

Insect Screen Color = White

---- Line 900-2 Description is the same as line 900-1 ----

Window Opening Control Device = No

Applied)

End Line 900 Descriptions



Glass Option = Low-E4 HeatLock

Glass Strength = Standard

High Altitude Breather Tubes = No



RO Size = 24 5/8" x 35 5/8" Unit Size = 24 1/4" x 35 3/8"

1000-1

400 Series Double-Hung-Insert Equal Sash, AA, Rough Opening 24.625 x 35.625, 24.25 x 35.375, White w/White Sash / Frame:Pine White - Painted Panel:Pine White -Painted

1000-2 Insect Screen 1: 400 Series Double-Hung-Insert, TWI 24.25 x 35.375 14 Degrees - Steep Full Screen Aluminum

White Version:03/26/2021

Wit Size 24 1/4 x 34 34

--- Line 1000-1 ---

Begin Line 1000 Descriptions

400 Series Double-Hung-Insert Overall Rough Opening = 24 5/8" x 35 5/8" Overall Unit = 24 1/4" x 35 3/8" Installation Zip Code = 02149 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Sash Width = 24 1/4 Sash Height = 35 3/8 Unit Sill Angle = 14 Degrees - Steep Venting / Handing = AA Exterior Frame Color = White Exterior Sash / Panel Color = White Interior Frame Wood Species = Pine Interior Frame Finish Color = White - Painted Interior Sash / Panel Wood Species = Pine Interior Sash / Panel Finish Color = White -Painted

Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 HeatLock

Page 8 of 13

Glass Tint = No Tint Specialty Glass = None Gas Fill = Argon Glass / Grille Spacer Color = Stainless Unit 1 Lower Glass: None

Unit 1 Upper Glass: Simulated Divided Light (SDL) Unit 1 Upper Glass: Specified Equal Light Unit 1 Upper Glass: Grille Pattern = Specified Equal Light

Unit 1 Upper Glass: Simulated Check Rail = No Unit 1 Upper Glass: Grille Bar Width = 3/4" Unit 1 Upper Glass: Exterior Grille Color = White

Unit 1 Upper Glass: Interior Grille Species = Pine Unit 1 Upper Glass: Interior Grille Color = White Unit 1 Upper Glass: 2W2H

Sash Lift Type = None Lock Hardware Style = Traditional

DP/PG Upgrade = No

Number of Sash Locks = 1

Lock Hardware Color/Finish = White (Factory

Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum

Insect Screen Color = White Exterior Stop Cover = Yes Installation Material Options = No Re-Order Item = No

Room Location = Unit U-Factor = 0.26

Unit Solar Heat Gain Coefficient (SHGC) = 0.28 Unit CPD Number = AND-N-132-01026-00002 U.S. ENERGY STAR Certified = Yes

Clear Opening Width = 20.452 Clear Opening Height = 13.432 Clear Opening Area = 1.9077 SKII = 289185

Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 03/26/2021

End Line 1000 Descriptions





RO Size = 35 5/8" x 57" Unit Size = 35 1/4" x 56 3/4"

1100-1

400 Series Double-Hung-Insert Equal Sash, AA, Rough Opening 35,625 x 57, 35,25 x 56,75, White w/White Sash / Frame:Pine White - Painted Panel:Pine White -Painted

1100-2

Insect Screen 1: 400 Series Double-Hung-Insert, TWI 35.25 x 56.75 0 Degrees - Flat Full Screen Aluminum White Version:03/26/2021

Unit 1100 Total:

\$885.30 \$885.30

---- Line 1100-1 ----

Begin Line 1100 Descriptions

400 Series Double-Hung-Insert Overall Rough Opening = 35 5/8" x 57" Overall Unit = 35 1/4" x 56 3/4" Installation Zip Code = 02149 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Sash Width = 35 1/4 Sash Height = 56 3/4 Unit Sill Angle = 0 Degrees - Flat Venting / Handing = AA Exterior Frame Color = White Exterior Sash / Panel Color = White Interior Frame Wood Species = Pine Interior Frame Finish Color = White - Painted Interior Sash / Panel Wood Species = Pine Interior Sash / Panel Finish Color = White -Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 HeatLock

Glass Tint = No Tint Specialty Glass = None Gas Fill = Argon Glass / Grille Spacer Color = Stainless Unit 1 Lower Glass: None Unit 1 Upper Glass: Simulated Divided Light (SDL) Unit 1 Upper Glass: Specified Equal Light Unit 1 Upper Glass: Grille Pattern = Specified Equal Light Unit 1 Upper Glass: Simulated Check Rail = No Unit 1 Upper Glass: Grille Bar Width = 3/4" Unit 1 Upper Glass: Exterior Grille Color = White Unit 1 Upper Glass: Interior Grille Species = Pine Unit 1 Upper Glass: Interior Grille Color = White Unit 1 Upper Glass: 3W2H DP/PG Upgrade = No Sash Lift Type = None Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No --- Line 1100-2 Description is the same as line 1100-1 ----

Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Exterior Stop Cover = Yes Installation Material Options = No Re-Order Item = No Room Location = Unit U-Factor = 0.26 Unit Solar Heat Gain Coefficient (SHGC) = 0.28 Unit CPD Number = AND-N-132-01026-00002 U.S. ENERGY STAR Certified = Yes Clear Opening Width = 31.452 Clear Opening Height = 23.329 Clear Opening Area = 5.0954 SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 03/26/2021

Security Sensor Type = None

End Line 1100 Descriptions



High Altitude Breather Tubes = No

Glass Strength = Standard



RO Size = 36 3/8" x 49" Unit Size = 36" x 48 3/4"

Page 9 of 13

Line Number Item Summary

1200-1 400 Series Double-Hung-Insert Equal Sash, AA, Rough
Opening 36.375 x 49, 36 x 48.75, White w/White Sash /
Frame:Pine White - Painted Panel:Pine White - Painted

1200-2 Insect Screen 1: 400 Series Double-Hung-Insert, TWI 36 x
48.75 14 Degrees - Steep Full Screen Aluminum White
Version:03/26/2021

Unit 1200 Total: \$885.30 \$885.30 \$0.00 \$885.30

Begin Line 1200 Descriptions

---- Line 1200-1 ----

400 Series Double-Hung-Insert Overall Rough Opening = 36 3/8" x 49" Overall Unit = 36" x 48 3/4" Installation Zip Code = 02149 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Sash Width = 36 Sash Height = 48 3/4 Unit Sill Angle = 14 Degrees - Steep Venting / Handing = AA Exterior Frame Color = White Exterior Sash / Panel Color = White Interior Frame Wood Species = Pine Interior Frame Finish Color = White - Painted Interior Sash / Panel Wood Species = Pine Interior Sash / Panel Finish Color = White -Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 HeatLock High Altitude Breather Tubes ≈ No

Glass Tint = No Tint
Specialty Glass = None
Gas Fill = Argon
Glass / Grille Spacer Color = Stainless
Unit 1 Lower Glass: Snone
Unit 1 Upper Glass: Simulated Divided Light (SDL)
Unit 1 Upper Glass: Specified Equal Light
Unit 1 Upper Glass: Grille Pattern = Specified
Equal Light
Unit 1 Upper Glass: Simulated Check Rail = No
Unit 1 Upper Glass: Grille Bar Width = 3/4"
Unit 1 Upper Glass: Exterior Grille Color = White
Unit 1 Upper Glass: Interior Grille Species = Pine
Unit 1 Upper Glass: Interior Grille Color = White

Unit 1 Upper Glass: 3W2H CI
DP/PG Upgrade = No Sk
Sash Lift Type = None Ve
Lock Hardware Style = Traditional Ve
Number of Sash Locks = 1 Ct
Lock Hardware Color/Finish = White (Factory Applied)
Window Opening Control Device = No
---- Line 1200-2 Description is the same as line 1200-1 ----

Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Exterior Stop Cover = Yes Installation Material Options = No Re-Order Item = No Room Location = Unit U-Factor = 0.26 Unit Solar Heat Gain Coefficient (SHGC) = 0.28 Unit CPD Number = AND-N-132-01026-00002 U.S. ENERGY STAR Certified = Yes Clear Opening Width = 32.202 Clear Opening Height = 19.329 Clear Opening Area = 4.3224 SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020

Catalog Version Date = 03/26/2021

A NO DESCRIPTION

End Line 1200 Descriptions



Glass Strength = Standard



RO Size = 15 3/8" x 61" Unit Size = 15" x 60 3/4"

1300-1 400 Series Picture Window-Insert, Fixed, 15 x 60.75,
White / Frame:Pine White - Painted

as Price Now Price Quart \$740.80 \$740.80 4 si Savings \$0.00

\$2,963.20

Unit 1300 Total:

\$740.80

0

enter (City Charles)

ALL THE PARTY OF T

Begin Line 1300 Description

---- Line 1300-1 ----

400 Series Picture Window-Insert
Overall Rough Opening = 15 3/8" x 61"
Overall Unit = 15" x 60 3/4"
Installation Zip Code = 02149
U.S. ENERGY STAR® Climate Zone = Northern
Search by Unit Code = No
Standard Width = Custom
Standard Height = Custom
Frame Width = 15

Interior Frame Wood Species = Pine
Interior Frame Finish Color = White - Painted
Glass Construction Type = Dual Pane
Glass Option = Low-F4 HeatLock
High Altitude Breather Tubes = No
Glass Strength = Standard
Glass Tint = No Tint
Specialty Glass = None
Gas Fill = Argon

Installation Material Options = No
Re-Order Item = No
Room Location =
Unit U-Factor = 0,24
Unit Solar Heat Gain Coefficient (SHGC) = 0.32
Unit CPD Number = AND-N-133-01284-00001
U.S. ENERGY STAR Certified = Yes
SKU = 289185
Vendor Name = S/O ANDERSEN LOGISTICS

Page 10 of 13

Frame Height = 60 3/4 Unit Sill Angle = 0 Degrees - Flat Venting / Handing = Fixed Exterior Frame Color = White Glass / Grille Spacer Color = Stainless None DP/PG Upgrade = No Exterior Stop Cover = Yes Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 03/26/2021

End Line 1300 Description





RO Size = 18 7/8" x 49" Unit Size = 18 1/2" x 48 3/4"

State of the second state of the second seco	nmary	Was Price	Now Price	Quantity	Total Savings	Total Price
	s Picture Window-Insert, Fixed, 18.5 x 48.75, rame:Pine White - Painted	\$636.56	\$636.56	1	\$0.00	\$636.56

Begin Line 1400 Description

---- Line 1400-1 ----

400 Series Picture Window-Insert
Overall Rough Opening = 18 7/8" x 49"
Overall Unit = 18 1/2" x 48 3/4"
Installation Zip Code = 02149
U.S. ENERGY STAR® Climate Zone = Northern
Search by Unit Code = No
Standard Width = Custom
Standard Height = Custom
Frame Width = 18 1/2
Frame Height = 48 3/4
Unit Sill Angle = 0 Degrees - Flat
Venting / Handing = Fixed
Exterior Frame Color = White

Interior Frame Wood Species = Pine
Interior Frame Finish Color = White Painted
Glass Construction Type = Dual Pane
Glass Option = Low_64 HeatLock
High Altitude Breather Tubes = No
Glass Strength = Standard
Glass Tint = No Tint
Specialty Glass = None
Gas Fill = Argon
Glass / Grille Spacer Color = Stainless
None

DP/PG Upgrade = No Exterior Stop Cover = Yes Installation Material Options = No
Re-Order Item = No
Room Location =
Unit U-Factor = 0.24
Unit Solar Heat Gain Coefficient (SHGC) = 0.32
Unit CPD Number = AND-N-133-01284-00001
U.S. ENERGY STAR Certified = Yes
SKU = 289185
Vendor Name = S/O ANDERSEN LOGISTICS
Vendor Number = 60509030
Customer Service = (888) 888-7020

Catalog Version Date = 03/26/2021

End Line 1400 Description