

Wastewater Epidemiology COVID-19 Report

Updated: 02-May-2023 | Data Complete Through: 26-Apr-2023



Report Contents



Summary

Overview and Trends

Results by Neighborhood

BPHC Neighborhood Trends

Variant Results


Percent Variant Lineages (Citywide)

Status & Details

Neighborhood Site Status and Details

Overview and Trends





CITYWIDE AVERAGE 182 RNA copies/mL

RANGE ACROSS 11 NEIGHBORHOOD SITES

28-374
RNA copies/mL


Data through: 26-Apr-2023

2-WEEK TRENDS			
Boston Stable	-41% over the past 14 days		
MWRA North Decreasing	-29% over the past 14 days		
MWRA South Stable	-23% over the past 14 days		

 $\textbf{Updated: } 02-\text{May-}2023 \mid \textbf{Samples through: } 26-\text{Apr-}2023 \text{ (BPHC); } 25-\text{Apr-}2023 \text{ (MWRA)} \mid \textbf{MWRA Data: } \\ \underline{\textbf{https://www.mwra.com/biobot/biobotdata.htm}}$

BPHC Neighborhood Trends






Points shown are 3-sample average values (i.e., 8-day moving average); line shows smoothed trend for 8-day moving average; dotted grey line in each panel represents average across all Boston sites weighted by population,

Percent Variant Lineages (Citywide)





Variant	%		
BA.2*	0.3%		
XBB*	99.5%		
BA.4*	0.0%		
BA.5*	0.0%		
BF.7	0.0%		
BQ.1*	0.0%		
Other	0.2%		

Average variant percentage across all BPHC sites weighted by population size | Table shows variant percentages for samples collected the week of 09-Apr-2023 (most recent available data); Variant results are reported weekly with a 3-week lag due to laboratory processing and analysis.

Sequencing Analysis Protocol Version: v1.8 (10-Jan-2023):
• BA.2* includes BA.2, BA.2.12, BA.2.12.1, and other BA.2 sub-lineages.

- BA.4* includes BA.4 and its sublineages, including BA.4.6.

 A.5* includes BA.4 and its sublineages, including BA.4.6.

 A.5* includes BA.4 and its sublineages, including BA.4.6.

 BA.5* includes BA.4 and its sublineages, including BA.4.6.

 BA.5* includes BA.4 and its sublineages, including BA.4.6.

 A.5* includes BA.4 and its sublineages, including BA.4.6.

 BA.5* includes BA.5* includes BA.5* including BA.4.6.

 BA.5* includes BA.5* includes BA.5* including BA.4.6.

 BA.5* includes BA.5* i
- BA.5* includes the sublineages of BA.5, except BQ.1* and BF.7.
- BQ.1* includes BQ.1 and its sublineages, including BQ.1.1.
- XBB* includes all XBB sublineages, including XBB.1.5. The progenitor lineages of XBB are BA.2.75 and BA.2.10. Since neither progenitor is circulating, we combine abundances of genomic fragments of these BA.2 lineages with XBB.
- "Other variants" contains all variants not explicitly quantified.

 $\label{lem:version changes: XBB sublineages (including XBB.1.5) reclassified to XBB*;$


Previously, XBB sub-lineages were classified as BA.2* in v1.7

For Additional Info See:

https://www.biobot.io/covid19-variants-report-notes/

Neighborhood Site Status and Details





#	Neighborhood	Date Site Confirmed	Site Status	Pop. Covered	% Neighborhood Covered
01	A/B	02-Oct-2022	Active	2,684	4.0%
02	CH	02-Oct-2022	Active	3,736	18.3%
03	EB	02-Oct-2022	Active	3,178	6.3%
04	BB	20-Nov-2022	Active	4,551	8.1%
05	SB	30-Oct-2022	Active	14,962	35.8%
07	JP	02-Oct-2022	Active	23,573	56.9%
80	DOR	02-Oct-2022	Active	34,562	23.8%
09	MT	11-Dec-2022	Active	24,441	80.5%
10	HP	02-Oct-2022	Active	1,262	3.5%
11	RS/WR	11-Dec-2022	Active	2,165	3.5%
12	RX	02-Oct-2022	Active	7,036	16.5%

Site Status (N=11) Active (n=11)