
EXHIBIT X-1

SCHEDULE OF APPROVED WIRELESS FACILITIES

| Facility Number | X-1 Standard Concrete Light Pole, Small Cell Concealment |
|---|---|
| Attachment Types (check all that apply and provide detail below) | _X_ Replacement City Pole (streetlight) _X_ Replacement City Property Pole (streetlight) Attach to existing City Pole (streetlight) Attach to existing City Property Pole (streetlight) Attach to existing City Pole (traffic signal) Attach to existing City Property Pole (traffic signal) Attach to existing City Pole (street furniture) Attach to existing City Property Pole (street furniture) Attach to Non-City Pole |
| Attachment Type Detail | Standard Concrete Light Pole, Small Cell Concealment |
| Physical Description | Omni antenna (not to exceed 40"H x 16"W) and antenna mount shroud (not to exceed 24"H x 16"W – top and 11"W – bottom) will be installed pole top and will be painted to match the replacement concrete pole. Pole can be deployed without antenna mount shroud per jurisdictional requirement. Replacement cobra LED luminaire will be installed at the same height as the existing pole. Remote radio head(s), power, and fiber equipment will be concealed and ventilated within a stealth, expanded, base (not to exceed 49"H x 30"W x 30"D). Base will be painted to match the replacement pole and antenna equipment. Pole Replacement information for all standard light poles: 14' existing pole to be replaced with new pole and a max height of 16.8' 19' existing pole to be replaced with new pole and a max height of 22.8' 24' existing pole to be replaced with new pole and a max height of 28.8' 29' existing pole to be replaced with new pole and a max height of 34.8' |
| Concealment | Pole top antenna and related cabling will be contained within a concealed structure as detailed above. Cabling will be routed within the concrete replacement pole structure and will connect to the equipment housed within the expanded base. A tapered pole base (not to exceed 2'H) will provide a decorative transition from the pole to the expanded base. Antenna, pole, tapered pole base, and equipment enclosure will be painted to match. Replacement cobra LED luminaire will be installed at the same height as the existing pole to conform to the local streetscape. |

| Included Documents | following documents: Replacement Pole Profile including fixture type, equipment specifications, and addition and ground connection details. Photo mock-up showing existing and proposed pole views. | |
|---------------------------------|---|--|
| RF Compliance Information | \underline{X} Facility conforms to information already on file \underline{X} RF information attached Crown Castle will attach FCC signage appropriate to the installed equipment. | |
| Comments | | |

STANDARD CONCRETE REPLACEMENT LIGHT POLE SMALL CELL CONCEALMENT



NOTES:


- 1. ALL DISTANCES, DIMENSIONS, LOCATIONS, EQUIPMENT DESIGNATIONS AND SPECIFICATIONS ARE APPROXIMATE.
- 2. ALL MATERIAL, COLOR & STYLE WILL MATCH CURRENTLY EXISTING MATERIALS AND WHERE NEEDED ANY RF FRIENDLY
- 3. IT IS ASSUMED THAT ALL PROPOSED UTILITIES WILL BE ROUTED BELOW GRADE TO THE PROPOSED INSTALLATION.
- 4. THE PURPOSE OF THE DESIGN IS TO SHOW A CONCEPTUAL DESIGN FOR THE REPLACEMENT/MODIFICATIONS OF EXISTING LIGHT POLE. THEREFORE, THESE DESIGNS ARE INHERENTLY APPROXIMATE IN NATURE AND SHOULD NOT BE USED AS AN EXACT. SCALED ENGINEERING DRAWING.
- POLE REPLACEMENT SPECIFICATIONS AND DIMENSIONS, INCLUDING STRUCTURAL FOUNDATIONS, WILL VARY BASED ON REQUIRED ANTENNA HEIGHTS REQUESTED
- 6. EQUIPMENT ENCLOSURE TO BE NO LARGER THAN (49"Hx30"Wx30"D).
- 7. ANTENNA TO BE NO LARGER THAN 16"Øx40"H.
- 8. POLE REPLACEMENT INFORMATION FOR ALL STANDARD LIGHT POLES:
 - 14' EXISTING POLE TO BE REPLACED WITH NEW POLE AND A MAX HEIGHT OF 16.8'
 - 19' EXISTING POLE TO BE REPLACED WITH NEW POLE AND A MAX HEIGHT OF 22.8'
 - 24' EXISTING POLE TO BE REPLACED WITH NEW POLE AND A MAX HEIGHT OF 28.8'
- 29' EXISTING POLE TO BE REPLACED WITH NEW POLE AND A MAX HEIGHT OF 34.8'
- 9. CROWN CASTLE WILL PLACE SMALL PLACARD ON POLE IDENTIFYING OWNERSHIP/CONTACT INFORMATION.
- 10. LED LIGHT & LUMINAIRE ARM STYLE WILL MATCH EXISTING & BE AT SAME HEIGHT AS SHOWN IN PHOTOSIMS.
- 11. PROPOSED LIGHTING WILL CONFORM TO THE CITY OF BOSTON'S LIGHTING STANDARDS.
- 12. ORNAMENTAL & DECORATIVE FEATURES & LUMINAIRES WILL MATCH THE EXISTING FIXTURE UNLESS THE EXISTING FIXTURE IS A METAL HALIDE OR HIGH PRESSURE SODIUM FIXTURE. IN THESE SCENARIOS, THE FIXTURE WILL BE UPGRADED TO A CITY OF BOSTON APPROVED LED FIXTURE.

PREPARED BY: **EXHIBIT X-1** UC/SYNERGETIC BOSTON, MA MANSFIELD, MA 02048 POLE INFO: CONCRETE POLE 1-508-337-7600 **CROWN** SUE DATE: 4/26/17 AS BUILT: AS SHOWN


DESCRIPTION DATE 1 UPDATE ANTENNA/CALLOUTS 08/22/17



STANDARD CONCRETE REPLACEMENT LIGHT POLE (COBRA) SMALL CELL CONCEALMENT



EXISTING PHOTOGRAPHIC VIEW



PROPOSED PHOTOGRAPHIC SIMULATION

| | REVISIONS | |
|---|---------------------------|----------|
| R | DESCRIPTION | DATE |
| | UPDATE PHOTOSIM/ADD PAGES | 08/22/17 |
| | | |
| | | |
| | | |
| | | |

| PREPARED BY: UC SYNERGET C Immunitive Thinking. Engineered Solutions. 21 OXFORD RD | TITLE: EXHIBIT X-1 PROPOSED BOSTON, MA | | |
|--|---|--------------------|--|
| MANSFIELD, MA 02048 www.ucseng.com 1-508-337-7600 | POLE INFO: CONCRETE POLE | | |
| PREPARED FOR: | SURVEYED BY: UCS | PRINT NO: 2 OF 5 | |
| | DRAWN BY: LAS | SCALE: | |
| CASTLE | ISSUE DATE: 4/26/17 | AS BUILT: AS SHOWN | |

STANDARD CONCRETE REPLACEMENT LIGHT POLE (SHOEBOX) SMALL CELL CONCEALMENT



EXISTING PHOTOGRAPHIC VIEW



PROPOSED PHOTOGRAPHIC SIMULATION

| PREPARED BY: | TITLE: EXHIBIT X-1 | | |
|--|--------------------------|--------------------|--|
| SYNERGETIC Innovative Thinking. Engineered Solutions. | PROPOSED BOSTON, MA | | |
| 21 OXFORD RD MANSFIELD, MA 02048 www.ucseng.com 1-508-337-7600 | POLE INFO: CONCRETE POLE | | |
| PREPARED FOR: | SURVEYED BY: UCS | PRINT NO: 3 OF 5 | |
| | DRAWN BY: LAS | SCALE: | |
| CASTLE | ISSUE DATE: 4/26/17 | AS BUILT: AS SHOWN | |

own Castie (Exhibit Examples For CITY of Boston) AA - Autocad (Exhibit)

REVISIONS
REV DESCRIPTION DATE

STANDARD CONCRETE REPLACEMENT LIGHT POLE (DOUBLE COBRA) SMALL CELL CONCEALMENT



EXISTING PHOTOGRAPHIC VIEW




PROPOSED PHOTOGRAPHIC SIMULATION

| PREPARED BY: UC/SYNERGETIC Innovative Thinking. Engineered Solutions. 21 OXFORD RD | TITLE: EXHIBIT X-1 PROPOSED BOSTON, MA | | |
|--|---|--------------------|--|
| MANSFIELD, MA 02048 www.ucseng.com 1-508-337-7600 | POLE INFO: CONCRETE POLE | | |
| PREPARED FOR: | SURVEYED BY: UCS | PRINT NO: 4 OF 5 | |
| CROWN | | SCALE: | |
| CASTLE | ISSUE DATE: 4/26/17 | AS BUILT: AS SHOWN | |


Engineering/Crown Castle/EXHIBIT EXAMPLES FOR CITY OF BOSTON/AA - AUTOCAD\EXHI

REVISIONS
REV DESCRIPTION DATE

STANDARD CONCRETE REPLACEMENT LIGHT POLE (TRIPLE COBRA) SMALL CELL CONCEALMENT







PROPOSED PHOTOGRAPHIC SIMULATION

| PREPARED BY: SYNERGETIC Innovative Thinking. Engineered Solutions. 21 OXFORD RD | TITLE: EXHIBIT X-1 PROPOSED BOSTON, MA | | |
|---|---|--------------------|--|
| MANSFIELD, MA 02048 www.ucseng.com 1-508-337-7600 | POLE INFO: CONCRETE POLE | | |
| PREPARED FOR: | SURVEYED BY: UCS | PRINT NO: 5 OF 5 | |
| | | SCALE: | |
| CASTLE | ISSUE DATE: 4/26/17 | AS BUILT: AS SHOWN | |

ing/Crown Castle\EXHIBIT EXAMPLES FOR CITY OF BOSTON\AA - AUTOC;

REVISIONS
REV DESCRIPTION DATE